## To Co

#### Athletics Canada/Run Canada

## Measurement Certificate

Name of the course	World	Masters	Indoor	Champ.	Race	Walk	Distanc	ce <b>1</b> 0	) lem
Location (city)		Kamloops	Felber	(province	ce)	72.00	B	.c	, All
Type of course: road	race X	calibration	trac	ck	Config	guration:		5 Loops	-
Type of surface: pave	d 100	% dirt	%	gravel	%	grass	%	track	0/2
Elevation (meters above	e sea level)	Start 35	<mark>) m.</mark> Fi	nish_ 350	) m	Highest	350 m	Lowest	350 m
Straight line distance be	etween start	& finish	0 m		Drop	0	m/km	Separation	0 %
Measured by (name, ad	dress, phone	e & e-mail)	Paul	Adams	#55	- 678	Citade	l Drive	
Port Coquitla	am, BC,	V3C 6M7	604	1-945-4	604				**
Race contact (name, ad-						4 - 13	395 Hil	lside Dri	1770
Kamloops, BC	, V2E 2F	7 250	-377-40	)55				roide Di	rve
Measuring Methods:					istance m	neter			
Number of measuremen	nts of entire	course: 2	Date(s)	when cour	se measu	red: J	ine 13	2009	
Race date:			Course pape	erwork subi	mission d	late: Tu	ne 20	2009	
Replaces:	(231) - d - e	(if appli	cable)					2009 3C-2009-0	78-BDC
						Lice		to Race Direc	

Notice to Race Director
Use this Certification Code in *all* public announcements relating to your race.

### Be It Officially Noted That

Based on examination of data provided by the above named measurer, the course described above and in the map attached is hereby certified as reasonably accurate in measurement according to the standards adopted by the Road Running Technical Council. If any changes are made to the course, this certification becomes void, and the course must then be recertified.

Validation of Course — In the event a National Open Record is set on this course, or at the discretion of Athletics Canada/Run Canada, a validation remeasurement may be required to be performed by a qualified measurer. If such a remeasurement shows the course to be short, then all pending records will be rejected and the course certification will be cancelled.

This certification expires on December 31 in the year 2019

AS NATIONALLY CERTIFIED BY:				
On				
ud ouwses)	Date:	T	00	
1 - 4	_ Date	June	22,	2009

Bernard Conway - Athletics Canada/Run Canada National Certifier


- IAAF/AIMS Grade A Measurer- USATF/RRTC Final Signatory

67 Southwood Crescent, London, Ontario, Canada, N6J 1S8

Phone: 519-641-6889 (H) Fax: 519-641-6889 E-mail: measurer@rogers.com

# World Masters Indoor Championship N 10km Race Walk Kamloops, BC, Canada March 1 to 6, 2010

Athletics Canada Certified BC-2009-078-BDC



The World Master race walk consists of 5 loops of this 2km course on Schubert Drive. Walkers go north on the right (east) side of the centre line and return on the right (west) side of the centre line.

The turn is in the crosswalk on the north side of the intersection at Richmond Avenue; it is 3.5m north of the manhole in the intersection.

The start/finish at Chestnut Avenue is exactly 8.4m north of the manhole cover in the Chestnut Avenue intersection; it is also in line with the bump sign at the south edge of the cross walk.