

ATHLETICS CANADA ROAD RACE MEASUREMENT CERTIFICATE

Race Information

nuov information			
Name of the course RATTLE-ME-BONES - 10 KM			
Certificate number ON-2015-038-BDC Distance 1	0 km	Race date	Oct. 25/2015
City Ottawa	Province ON		
Race contact name Andrew Press			
nace contact name	Trace contact cirian		
Course Information		9	
Start elevation 81 m	Finish elevation8	1 m	
Elevation change 0 m/km	Percent separation	5	
		6.1	
Measurer Information			
Measurer name Dave Yaeger			
Measurement date Oct. 12/2015			
Model of the factor			
Official Notice			
Based on examination of data provided by the above named measurer, the course described above and in the map attached is hereby certified as reasonably			
accurate in measurement according to the standards adopted by the Road Running Technical Council . If any changes are made to the course, this certification becomes void, and the course must then be recertified.			
Validation of Course			
In the event a National Open Record is set on this course, or at the discretion of Athletics Canada, a validation remeasurement may be required to be performed by			
a qualified measurer. If such a remeasurement shows the course to be short, then all pending records will be rejected and the course certification will be cancelled.			
As Nationally Certified by			
Barrier D			0.45
Signature of certifier		Oct. 21, 2 Date	.015
	10 11.1		
Any inquires regarding this certificate should be directed to coursemeasurement@athletics.ca			

RATTLE-ME-BONES - 10 KM

Start Ring Rd – N side 14.3m E of Light Pole #29 across from middle of the Rehab Centre Entrance. See detail.

1 km Smyth Rd - N side 8.2m E of Traffic Light Pole at E side of Hospital Entrance Road.

2 km Smyth Rd - N side 18.0m W of Traffic Light Pole at W side of Haig Dr.

3 km Russell Rd – W side across from the south curb of Everest Pvt entrance.

4 km Devon St – W side 8.9m N of Light Pole at NE corner of Devon and Browning.

5 km Industrial Rd - S side 16.0m W of 2nd Concrete Light Pole W of Russell Rd. In middle of entrance to Flooring Canada.

6 km Industrial Rd - S side in front of Metro Warehouse. 44.5m E of Hydrant on N side in front of #465 Industrial Rd.

7 km Alta Vista Rd – E side 13.4m S of Traffic Light Pole at S side of Dorian Ave.

8 km Alta Vista Dr – E side 26.8m N of N end of Concrete Median in Alta Vista Rd.

9 km Ring Rd – W side 14.1m N of Stop Sign at N side of Rotel Entrance road. 3.5m S of Light Pole #39.

10 km Ring Rd – E side in line with the N edge of the Bus Shelter on the W side just N of the Critical Care Entrance.

14.0m N of Light Pole #19 on N side of road to parking lots on the E side of Ring Road. Nail 0.3m from E curb.

Measurement and Map Dave Yaeger October 2015 dave.yaeger1@gmail.com **Athletics Canada Certified** Light Pole #29 ON-2015-038-BDC Certification Expires Dec. 31/2024 Nail O.3 m from curb -14.3m > Cone at Centrelina centreline 1.0× in line with Light Pole Rehab Stop Sign Light Cone at centreline in line with stop sign Brownin Stop 6K Runners have one lane 5k "against traffic" throughout Shelly Ave Thirsk 51 START Vista Ave Browning Road 3 Alta FINISH Critical Care Ent. Road Road A BK Smyth Rd Map not to scale